Guarantee

This card ensures quality service for products purchased from our company.

The warranty period is 1 year, starting from the date of the sales invoice (or the purchase date). Please fill in the date on this card.

Cup leather and other wearing parts are not covered under the warranty.

Damage resulting from improper use or intentional damage is not covered by the warranty.

WARRANTY CARD (Leaf For Retailer)

Model No.			Date of purchase		
User			Address		
Zipcode		Phone		Contact person	
Retailer					

PMA Series
Air Pump Kit
Instructions



WWW.POND-MAGIC.COM
POND MAGIC

Warning

This appliance can be used by children aged 8 years and older, or those lacking experience and knowledge, provided they are supervised or given proper instruction on how to use the appliance safely and understand the associated hazards. Children should not play with the appliance. Cleaning and maintenance should not be performed by children without supervision. If the power cord is damaged, it must be replaced by the manufacturer, a service agent, or another qualified person to avoid potential hazards.



This marking indicates that this product should not be disposed of with regular household waste. To prevent harm to the environment or human health from uncontrolled disposal, please recycle it responsibly to support the sustainable reuse of materials. To return your used device, use the return and collection systems, or contact the retailer where it was purchased. They can facilitate environmentally safe recycling.

Features

Made with special artificial rubber to maintain consistent air output and pressure.

Features an advanced air-compressing system, damping system, and multi-level muffler, ensuring extremely low noise levels.

The design is efficient and compact, offering a long service life and optimal performance.

Installation


Connect the air hose to the air pump's outlet, position the other end of the hose with the air stone in your pond, and then start the pump.

Place the air pump above the water level on a flat surface. If this is not possible, connect a non-return valve a few inches from the pump between the air hose to prevent water from siphoning back into the air pump.

Maintenance

Regularly clean the air hose and air stone (if in use) or replace the sponge to ensure maximum performance and extend the lifespan. For the special design of the PMA-10/20/30/50, the installation position of the filter sponge is shown.

Part List



Parameters

Model	PMA5	PMA10	PMA20	PMA30
Voltage	110-120V - 60Hz	110-120V - 60Hz	110-120V - 60Hz	110-120V - 60Hz
Power	4 Watts	8 Watts	12 Watts	16 Watts
Max Output	5 L/Min	13 L/M	18 L/M	30 L/M
Pond Size	700 Gallons	2000 Gallons	3000 Gallons	4000 Gallons